

Saving and Restoring Startup (Initialized) SAS® System Options

Kirk Paul Lafler, Software Intelligence Corporation

ABSTRACT

Processing requirements sometimes require the saving (and restoration) of SAS® System options at strategic points during a program's execution cycle. This paper and presentation illustrates the process of using the OPTIONS, OPTSAVE, and OPTLOAD procedures to perform the following operations:

- ✓ Display portable and host-specific SAS System options and their settings;
- ✓ Display restricted SAS System options;
- ✓ Display SAS System options that can be restricted;
- ✓ Display information about SAS System option groups;
- ✓ Display a list of SAS System options that belong to a specific group;
- ✓ Display a list of SAS System options that can be saved;
- ✓ Save startup SAS System options;
- ✓ Restore startup SAS System options, when needed.

INTRODUCTION

The OPTIONS procedure is used to display the default settings associated with SAS System options including Portable and Host options. The PROC OPTIONS code illustrated below, displays an alphabetical sampling of default settings along with a brief explanation of each SAS System option on the SAS Log.

```
proc options ;
run ;
```

Portable Options:

ANIMATION=STOP	Specifies whether to start or stop animation.
ANIMDURATION=MIN	Specifies the number of seconds that each animation frame displays.
ANIMLOOP=YES	Specifies the number of iterations that animated images repeat.
ANIMOVERLAY	Specifies that animation frames are overlaid in order to view all frames.
APPEND=	Specifies an option=value pair to insert the value at the end of the existing option value.
APPLETLOC=	Specifies the location of Java applets, which is typically a URL.
ARMAGENT=	Specifies an ARM agent (which is an executable module or keyword, such as LOG4SAS) that contains a specific implementation of the ARM API.
ARMLOC=ARMLOG.LOG	Specifies the location of the ARM log.
ARMSUBSYS=(ARM_PROC)	Specifies the SAS ARM subsystems to enable or disable.
AUTOCORRECT	Automatically corrects misspelled procedure names and keywords, and global statement names.
AUTOEXEC=/opt/sasinside/SASConfig/Lev1/SASApp/WorkspaceServer/autoexec.sas	Specifies the location of the SAS AUTOEXEC files.
AUTOSAVELOC=	Specifies the location of the Program Editor auto-saved file.
NOAUTOSIGNON	Disables a SAS/CONNECT client from automatically submitting the SIGNON command remotely with the RSUBMIT command.
BINDING=DEFAULT	Specifies the binding edge type of duplexed printed output.
BOMFILE	Writes the byte order mark (BOM) prefix when a Unicode-encoded file is written to an external file.
BOTTOMMARGIN=0.000 IN	Specifies the size of the margin at the bottom of a printed page.
BUFNO=1	Specifies the number of buffers for processing SAS data sets.
BUFSIZE=0	Specifies the size of a buffer page for output SAS data sets.

.

(continued)

```

. . . . .
VALIDMEMNAME=COMPAT
VALIDVARNAME=V7    Specifies the rules for naming SAS data sets, SAS data views, and item stores.
                   Specifies the rules for valid SAS variable names that can be created and
                   processed during a SAS session.
VARINITCHK=NOTE    Specifies the type of message to write to the SAS log when a variable is not
                   initialized.
VARLENCHK=WARN     Specifies the type of message to write to the SAS log when the length of the
                   variable that is being read is longer than the length that is defined for the
                   variable.
VBUFSIZE=65536    Specifies the buffer size for a view.
VIEWMENU           Displays the View menu in SAS windows.
VNFERR             SAS issues an error message when a BY variable exists in one data set but not
                   another when the other data set is _NULL_.
WORK=/tmp/SAS_work726100004B15_localhost.localdomain/SAS_work316E00004B15_localhost.localdomain
                   Specifies the libref or location of the Work library.
WORKINIT           At SAS invocation, erases files that exist from a previous SAS session in an
                   existing Work library.
WORKTERM           Erases the Work files when SAS terminates.
YEARCUTOFF=1926   Specifies the first year of a 100-year span that is used by date informats and
                   functions to read a two-digit year.
LAST=_NULL        Specifies the most recently created data set.

```

The OPTIONS procedure can also be specified with the SHORT parameter so an alphabetical display of the default SAS System options is sent to the SAS Log without the brief explanation of each option, as shown below.

```

proc options short ;
run ;

```

Portable Options:

```

ANIMATION=STOP ANIMDURATION=MIN ANIMLOOP=YES ANIMOVERLAY APPEND= APPLETLOC= ARMAGENT=
ARMLOC=ARMLOG.LOG ARMSUBSYS=(ARM_PROC) AUTOCORRECT
AUTOEXEC=/opt/sasinside/SASConfig/Lev1/SASApp/WorkspaceServer/autoexec.sas AUTOSAVELOC=
NOAUTOSIGNON BINDING=DEFAULT BOMFILE BOTTOMMARGIN=0.000 IN BUFNO=1 BUFSIZE=0 BYERR BYLINE BYSORTED
NOCAPS NOCARDIMAGE CASAUTHINFO= CASDATALIMIT=100M CASHOST= CASLIB= CASNCHARMULTIPLIER=1.5
CASNWORKERS=ALL CASPORT=0 CASSESSOPTS= CASTIMEOUT=60 CASUSER= CATCACHE=0 CBUFNO=0 CENTER
COPTIMIZE=3 NOCHARCODE NOCHKPTCLEAN CLEANUP NOCMDMAC CMLIB= CMPMODEL=BOTH CMPOPT=(NOEXTRMATH
NOMISSCHECK NOPRECISE NOGUARDCHECK NOGENSYMNAMES NOFUNCDIFFERENCING SHORTCIRCUIT NOPROFILE)
NOCOLLATE COLOPHON= COLORPRINTING COMAMID=TCP COMPRESS=NO CONNECTEVENTS CONNECTMETACONNECTION
CONNECTOUTPUT=BUFFERED CONNECTPERSIST CONNECTREMOTE= CONNECTSTATUS CONNECTWAIT COPIES=1 CPUCOUNT=2
CPUID CSTGLOBALLIB= CTSAMPLELIB= DATAPAGESIZE=CURRENT DATASTMTCHK=COREKEYWORDS DATE DATESTYLE=MDY
NODBFMIGNORE NODBIDIRECTEXEC DBSLICEPARM=(THREADED_APPS, 2) DBSRVTP=NONE DCSHOST=LOCALHOST
DCSPORT=7111 DECIMALCONV=COMPATIBLE DEFLATION=6 NODETAILS DEVICE= DFLANG=LOCALE DKRCOND=ERROR
DKROCOND=WARN NODLCREATEDIR DLDMGACTION=FAIL NODMR NODMS NODMSEXP DMSLOGSIZE=99999

```

Host Options:

```

ALIGNSASIOFILES ALTLOG= ALTPRINT= AUTHPROVIDERDOMAIN= BLKSIZE=256 COMAUX1= COMAUX2= CONFIG=(
/opt/sasinside/SASHome/SASFoundation/9.4/sasv9.cfg
/opt/sasinside/SASHome/SASFoundation/9.4/nls/u8/sasv9.cfg
/opt/sasinside/SASHome/SASFoundation/9.4/sasv9_local.cfg
/opt/sasinside/SASConfig/Lev1/SASApp/sasv9.cfg
/opt/sasinside/SASConfig/Lev1/SASApp/sasv9_usermods.cfg
/opt/sasinside/SASConfig/Lev1/SASApp/WorkspaceServer/sasv9.cfg
/opt/sasinside/SASConfig/Lev1/SASApp/WorkspaceServer/sasv9_usermods.cfg ) DBCS DBCSLANG=UNKNOWN
DBCSTYPE=UTF8 ECHO= EDITCMD= EMAILSYS=smtp ENCODING=UTF-8 FILELOCKS=( '/' FAIL ) FILELOCKWAIT=0
FILELOCKWAITMAX=600 FSDBTYP=DEFAULT FSIMM= FSIMMOPT= NOFULLSTIMER HELPLOC=(
'!SASROOT/X11/native_help' '!SASROOT/X11/native_help' '!SASUSER/classdoc' ) INGOPTS=
JREOPTIONS=(-DPFS_TEMPLATE=/opt/sasinside/SASHome/SASFoundation/9.4/misc/tkjava/qrpfstpt.xml

```

During a SAS session, you'll be able to determine whether the current system options and values, assigned either at SAS system startup or anytime thereafter, require preserving for later reinitializing (or restoration). To determine which SAS System options can be saved, the `OPTIONS` procedure with the `DEFINE` parameter is specified, as follows. Although the Log results show a great amount of detail, the line corresponding to **OPTSAVE:** indicates whether the option can be saved or not. Other notable information displayed in the Log results show when an option can be set and whether your Site Administrator can restrict the modification of an option.

```
proc options define ;
run ;
```

<pre>APPEND= Option Definition Information for SAS Option APPEND Group= ENVFILES Group Description: SAS library and file location information Description: Specifies an option=value pair to insert the value at the end of the existing option value. Type: The option value is of type CHARACTER Maximum Number of Characters: 32000 Casing: The option value is retained with original casing Quotes: If present during "set", start and end quotes are removed Parentheses: The option value does not require enclosure within parentheses. If present, The parentheses are retained. Expansion: Environment variables, within the option value, are not expanded When Can Set: Startup or anytime during the SAS Session Restricted: Your Site Administrator cannot restrict modification of this option Optsave: PROC Optsave or command Dmoptsave will not save this option</pre>
<pre>APPLETLOC= Option Definition Information for SAS Option APPLETLOC Group= ENVFILES Group Description: SAS library and file location information Description: Specifies the location of Java applets, which is typically a URL. Type: The option value is of type CHARACTER Maximum Number of Characters: 256 Casing: The option value is retained with original casing Quotes: If present during "set", start and end quotes are removed Parentheses: The option value does not require enclosure within parentheses. If present, the parentheses are retained. Expansion: Environment variables, within the option value, are expanded When Can Set: Startup or anytime during the SAS Session Restricted: Your Site Administrator can restrict modification of this option Optsave: PROC Optsave or command Dmoptsave will save this option</pre>

To produce an abbreviated list of just the SAS System options that can be saved, the `OPTIONS` procedure with the `LISTOPTSAVE` parameter can be specified, as follows.

```
proc options listoptsave ;
run ;
```

Core options that can be saved with OPTSAVE

ANIMATION	Specifies whether to start or stop animation.
ANIMDURATION	Specifies the number of seconds that each animation frame displays.
ANIMLOOP	Specifies the number of iterations that animated images repeat.
ANIMOVERLAY	Specifies that animation frames are overlaid in order to view all frames.
APPLETLOC	Specifies the location of Java applets, which is typically a URL.
AUTOCORRECT	Automatically corrects misspelled procedure names and keywords, and global statement names.
AUTOSAVELOC	Specifies the location of the Program Editor auto-saved file.
AUTOSIGNON	Enables a SAS/CONNECT client to automatically submit the SIGNON command remotely with the RSUBMIT command.
BINDING	Specifies the binding edge type of duplexed printed output.
BOMFILE	Writes the byte order mark (BOM) prefix when a Unicode-encoded file is written to an external file.
BOTTOMMARGIN	Specifies the size of the margin at the bottom of a printed page.
BUFNO	Specifies the number of buffers for processing SAS data sets.
BUFSIZE	Specifies the size of a buffer page for output SAS data sets.
BYERR	SAS issues an error message and stops processing if the SORT procedure attempts to sort a _NULL_ data set.
BYLINE	Prints the BY line above each BY group.
BYSORTED	Requires observations in one or more data sets to be sorted in alphabetic or numeric order.
CAPS	Converts certain types of input, and all data lines, into uppercase characters.
CARDIMAGE	Processes SAS source code and data lines as 80-byte records.
CASDATALIMIT	Specifies the maximum number of bytes that can be read from a file.
CASHOST	The CAS server name associated with a CAS session.
.

Once it's determined that SAS System option settings need saving, a PROC OPTSAVE can be executed. SAS System options can either be saved to the SAS registry (an area where information about specific SAS sessions and applications are stored) or to a SAS data set. **Note:** For more information about the SAS 9.4 Registry readers are encouraged to read, [Understanding the SAS Registry](#). The next example illustrates the process of saving the SAS System options to a SAS data set using the OPTSAVE procedure and the OUT= parameter.

```
libname mylib "c:\" ;
proc optsave out=mylib.myoptions ;
run ;

proc print data=mylib.myoptions ;
run ;
```

The OPTSAVE procedure code saves the SAS System options to the user-assigned data set MYOPTIONS in the user-assigned MYLIB library of the root-level of the C-drive. Should the output data set already exist with the same name, then it is automatically replaced. A partial snapshot of the saved SAS System options is illustrated using the PRINT procedure, below.

Obs	OPTNAME	OPTVALUE
1	ANIMATION	STOP
2	ANIMDURATION	MIN
3	ANIMLOOP	YES
4	ANIMOVERLAY	1
5	APPLETLOC	
6	AUTOCORRECT	1
7	AUTOSAVELOC	
8	AUTOSIGNON	0
9	BINDING	DEFAULT
10	BOMFILE	1
11	BOTTOMMARGIN	0.000 IN
12	BUFNO	1
13	BUFSIZE	0
14	BYERR	1
15	BYLINE	1
16	BYSORTED	1
17	CAPS	0
18	CARDIMAGE	0
19	CASDATALIMIT	100M
20	CASHOST	
21	CASNCHARMULTIPLIER	1.5
22	CASNWORKERS	ALL
23	CASPORT	0
24	CASTIMEOUT	60
25	CASUSER	
26	CBUFNO	0
27	CENTER	1

... ..

280	SORTCUT	0
281	SORTCUTP	0
282	SORTDEV	
283	SORTNAME	
284	SORTPARM	
285	SORTPGM	BEST
286	SSLCALISTLOC	/opt/sasinside/SASHome/SASSecurityCertificateFramework
287	SSLCERTLOC	
288	SSLCRLLOC	
289	SSLPVTKEYLOC	
290	SYSPRINT	
291	TAPECLOSE	REREAD
292	FULLSTIMER	0
293	LOCALE	EN_US
294	STIMEFMT	(NLDTM2 HMS TIMEAMPM KB MEMFULL TSFULL NC)

After processing is complete and you desire to restore the SAS system option settings you saved earlier, you'll be able to restore (recover) the SAS System option settings from the "saved" data set using the OPTLOAD procedure, as follows.

```
proc optload data=mylib.myoptions ;
run ;
```

The OPTLOAD procedure restores the SAS System options and settings from the user-assigned SAS data set MYOPTIONS in the user-assigned MYLIB library that was saved earlier. When run, the OPTLOAD procedure automatically replaces the current option settings with the "saved" settings that were created earlier using the OPTSAVE procedure.

ACKNOWLEDGMENTS

The author thanks Lingjiao Qi, Western Users of SAS Software (WUSS) 2019 Advanced Techniques Section Chair, for accepting my abstract and paper; Hunter Glanz, WUSS 2019 Academic Program Chair; Cynthia Alvarez, WUSS 2019 Operations Chair; the WUSS Conference Committee; and SAS Institute for organizing and supporting a great conference!

TRADEMARK CITATIONS

SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration. Other brand and product names are trademarks of their respective companies.

CONTACT INFORMATION

Kirk Paul Lafler is entrepreneur, consultant and founder at Software Intelligence Corporation, and has worked with SAS software since 1979. As a SAS consultant, application developer, programmer, data analyst, mentor, infrastructure specialist, educator and author at Software Intelligence Corporation, and an advisor and SAS programming adjunct professor at the University of California San Diego Extension, Kirk has taught SAS courses, workshops, seminars, and webinars to thousands of users around the world. Kirk has also authored or co-authored several books including PROC SQL: Beyond the Basics Using SAS, Third Edition (SAS Press. 2019) and Google® Search Complete (Odyssey Press. 2014); hundreds of papers and articles on a variety of SAS topics; served as an Invited speaker, educator, keynote and section leader at SAS user group conferences and meetings worldwide; and is the recipient of 25 "Best" contributed paper, hands-on workshop (HOW), and poster awards.

Comments and suggestions can be sent to:

Kirk Paul Lafler

SAS® Consultant, Application Developer, Programmer, Data Analyst, Educator and Author

Software Intelligence Corporation

E-mail: KirkLafler@cs.com

LinkedIn: <https://www.linkedin.com/in/KirkPaulLafler>

Twitter: [@sasNerd](https://twitter.com/sasNerd)